



HexPave Grid Grass  
RG-58.51.03-PP  
8102-UA

---



# Technical characteristics




## Technical characteristics

<b>Name</b>
RG-58.51.03-PP
<b>Width, mm</b>
505
<b>Height, mm</b>
30
<b>Length, mm</b>
580
<b>Load class</b>
-
<b>Mass, kg</b>
0,9
<b>Article</b>
8102-UA

# Areas of application

Area	Tasks
Road construction	<ul style="list-style-type: none"><li>• Increasing the building area</li><li>• Surface reinforcement</li><li>• Saving materials and resources</li><li>• Arrangement of green sidewalks</li></ul>
Arrangement of eco-parks	<ul style="list-style-type: none"><li>• Saving materials and resources</li><li>• Use of natural ingredients</li><li>• Speed</li><li>• Environmental friendliness</li><li>• Durability</li></ul>
Arrangement of slopes and shores	<ul style="list-style-type: none"><li>• Strengthening</li><li>• Erosion protection</li><li>• Design</li></ul>
Landscaping	<ul style="list-style-type: none"><li>• Strengthening of tracks</li><li>• Creating the right forms of landscape</li><li>• Rainwater drainage</li></ul>

# Features of a design and accessories



## Anchor mounting location

Only a new modified anchor is used  
art. 6842-UA with teeth  
to improve fixation to the  
base.



<b>Name:</b>	<b>AY-21.16.17-ПП</b>
Width, mm	16
Height, mm	17
Length, mm	203
Load class	-
Mass, kg	0,013
Article	6842-UA



# Дякую!

Залишилися питання?

Зв'язатися зі мною:

М: +38 097-98-4-67-67

[m.kachanovskiy@standartpark.com.ua](mailto:m.kachanovskiy@standartpark.com.ua)

[standartpark.ua](http://standartpark.ua)

