




1. Dimensions for reference
2. Delivery and packaging are carried out in accordance with the terms of the contract
3. The manufacturer reserves the right, without notice to the consumer, to make changes to the design of the products for improvement of their technological and operational parameters, which will not affect the quality and properties of the product
4. Deviation of the actual weight of the nominal can be up to 10%.



UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: ISO 2768 - C LINEAR: ANGULAR:			FINISH:		DEBURR AND BREAK SHARP EDGES		DO NOT SCALE DRAWING		REVISION	
									TITLE: Polymer Concrete Sand Trap Base DN150 H390 reinforced C250	
							MATERIAL: Polymer Concrete, Steel		SCALE: 1:5	
							WEIGHT: 20.20 kg		SHEET 1 OF 1	

6 5 4 3 2 1

D



C



D

C

B

1. Powierzchnia otworów poboru wody 326,24 cm²;
2. Odchylenie rzeczywistej wagi od nominalnej może wynosić do 10%

B

A

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: 2768-c LINEAR: ANGULAR:				FINISH:		DO NOT SCALE DRAWING		REVISION	
						TITLE: Ruszt żeliwny Base DN150 szczelinowy C250			
						Klasa obciążenia: C250			
				MATERIAL: Żeliwo		Artykuł: 22303		A4	
				Waga: 4.43 kg		Skala: 1:5		SHEET 1 OF 1	

6 5 4 3 2 1

A